

**SKI NAUTIQUE  
OPEN BOW 200**



**LENGTH OVERALL**  
20' / 6.10 m

**LENGTH WITH PLATFORM**  
21' 10" / 6.65 m

**LIFTING RINGS SPACING**  
18' .10" / 5.73m

**BEAM**  
95" / 2.41 m

**DRAFT**  
22" / 0.56 m

**APPROXIMATE DRY WEIGHT**  
2,800 lbs / 1,270 kg

**FUEL CAPACITY**  
29 gal. / 109.8 lt

**MAXIMUM CAPACITY**  
10 people or 1,450 lbs / 658 kg

**HP RANGE**  
343 to 409 hp

**GEAR REDUCTION RATIO**  
1.23 : 1

**SKI NAUTIQUE  
CLOSED BOW 200**



**LENGTH OVERALL**  
20' / 6.10 m

**LENGTH WITH PLATFORM**  
21' 10" / 6.65 m

**LIFTING RINGS SPACING**  
18' .10" / 5.73m

**BEAM**  
95" / 2.41 m

**DRAFT**  
22" / 0.56 m

**APPROXIMATE DRY WEIGHT**  
2,800 lbs / 1,270 kg

**FUEL CAPACITY**  
29 gal. / 109.8 lt

**MAXIMUM CAPACITY**  
7 people or 1,450 lbs / 658 kg

**HP RANGE**  
343 to 409 hp

**GEAR REDUCTION RATIO**  
1.23 : 1



SKI  
NAUTIQUE **216**



**LENGTH OVERALL**

21' 6.5" / 6.57 m

**LENGTH WITH PLATFORM**

23' 3.5" / 7.10 m

**LIFTING RINGS SPACING**

20' .30" / 6.17 m

**BEAM**

91" / 2.31 m

**DRAFT**

24" / 0.61 m

**APPROXIMATE DRY WEIGHT**

2,990 lbs / 1,356 kg

**FUEL CAPACITY**

29 gal. / 109.81 lt

**MAXIMUM CAPACITY**

10 people or 1,325 lbs / 601 kg

**HP RANGE**

343 to 409 hp

**GEAR REDUCTION RATIO**

1.23 : 1

**FACTORY BALLAST CAPACITY**

308 lbs / 140 kg

**SKI NAUTIQUE SERIES**

# SKI NAUTIQUE SERIES

## CONSTRUCTION AND MATERIALS

	200 - Open	200 - Closed	216	SELECT
5 Year Transferable Promise Warranty	S	S	S	S
Luxurious Upholstery Vinyl: 34 oz w/ Bio-cide Treated & Stain Resistant Top Coat	S	S	S	S
AME® Epoxy Vinyl Ester: (Used throughout all Hull & Deck Construction)	S	S	S	S
Acme Performance Matched CNC Propeller	S	S	S	S
All Composite Construction	S	S	S	S
AME® Epoxy Vinyl Ester: (Used on all Hull & Deck Construction)	S	S	S	S
Composite Clam Shell Engine Box (Positive Lift)	S	S	S	S
Composite Rear Trunk Storage: (Port & Starboard)	-	-	S	S
Composite Integrated Stringer System	S	S	S	S
Automatic Bilge Pump	S	S	S	S
EZ Oil Drain System	S	S	S	S
Hull-Hugger® Muffler	S	S	S	S
Laser Aligned Underwater Gear	S	S	S	S
NMMA Certified	S	S	S	S
Plush BCF Removable Snap-in Floor Carpet (Bulked continuous Filament )	S	S	S	S
Premium High Resiliency Bio-cide Treated Upholstery Foam	S	S	S	S
USA Waterski Approved Tournament Towboat	S	S	-	

## ENGINES

	200 - Open	200 - Closed	216	SELECT
PCM® Adjust-A-Flex Mounts	S	S	S	S
PCM® Generation 3 Fuel Control Cell: w/ Dual Fuel Pumps	S	S	S	S
PCM® in Line 10 Micron Fuel Filter	S	S	S	S
PCM® Modular Stainless Steel Raw Water Pump: w/ Auto Tension Serpentine Belt System	S	S	S	S
PCM® 3 Year Warranty & Membership: in the PCM Watersports Club	S	S	S	S
PCM® Excalibur™ 5.7 L V-8 Multi-Port EFI: 343 hp	S	S	S	S
PCM® ZR-409 6.0 Liter V- Multi-Port 409 hp (w/standard Fresh Water Cooling )	O	O	O	
PCM® Excalibur Catanium CES 5.7 Liter V-8 Multi-Port EFI 343 hp	O	O	O	
PCM® ZR-409 Catanium CES 6.0 Liter V- Multi-Port 409 hp (w/standard Fresh Water Cooling )	O	O	O	
PCM® Power Plus® High Performance Transmission Direct Drive: 1.23:1 Gear Ratio	S	S	S	S

## PERFORMANCE OPTIONS

	200 - Open	200 - Closed	216	SELECT
Adjustable Tower Mount Bracket with Mirror (N/A on FCT3)	-	-	O	
Deluxe Overize Mirror w/Extension	O	O	O	
Factory Ballast Tanks (Wake Package One)	-	-	O	
Flight Clips w/Swivel ( Board Racks)	O	O	O	
Flight Control Tower- FCT 1 (Painted & Pre-Wired)	-	-	O	
Flight Control Tower- FCT3 (Painted & Pre-Wired)	O	O	-	
Hydro-Gate w/Sportshift	S	S	-	
Pylon	S	S	S	S
Rudder, Tunable	S	S	S	S

## STEREO OPTIONS

	200 - Open	200 - Closed	216	SELECT
Audio Input Jacks (Auxillary Inputs(211-1),MP3,Portable DVD and Audio Capabilities, w/Stereo Option Only)	S	S	S	S
Transom Mounted Clarion Digital Stereo Remote Control	-	-	S	
Clarion Digital Stereo Remote Control	S	S	S	S
Stereo System Level I (200) : Clarion AM/FM/CD Receiver w/4 or 6 Polk Audio Speakers. USB Port and Dual Auxillary Inputs	O	O	-	S
<b>Stereo system I (216):</b> Clarion AM/FM/CD Receiver w/4 Polk Audio MM Speakers and Dual Auxillary Inputs	-	-	S	S
Stereo Remote, Key Fob w/Holder (Waterproof and Floating)	-	-	O	
<b>Stereo System Level II:</b> Level I plus 500.4 Polk Audio Amplifier, 10" Subwoofer and Bow Speakers (N/A on Standard)	O	O	O	
<b>Tower Speaker Prep Kit: Includes Polk Audio 250.2 amplifier and wiring harness</b> (Included 1 Pair of tower speakers), (N/A) on standard & Requires Stereo Level II	O	O	O	
<b>Tower Speaker Prep Kit II: Includes Polk Audio 500.4 Amplifier and wiring harness</b> (Included w/2 pair of towers speakers) ( N/A on Standard and Requires Stereo Level II)	-	-	O	
<b>Tower Speakers Level I:</b> (1 Pair), 2 Polk Audio Speakers w/Crossover and 500.4 Amplifier (N/A on Standard)	-	-	O	
<b>Tower Speakers Level II:</b> (2 Pair), 4 Polk Audio Speakers w/Crossover and 500.4 Amplifier (N/A on Standard)	-	-	O	
<b>FCT 3 Fixed Speakers:</b> Pair of 2 Polk Audio 6.5" Round Speakers w/Crossover and 250.2 Amplifier	O	O	-	

**ENGINE OPTIONS**

Fresh Water Cooling (Standard on PCM®ZR-409 6.0Liter Engine)(N/A on PCM 5.7 Catanium Engines)

	200 - Open	200 - Closed	216	SELECT
Battery, Single	S	S	S	S
Dripless Shaft Packing	O	O	O	
Fire Extinguisher, Automatic	O	O	O	
Fresh Water Cooling (Standard on PCM®ZR-409 6.0Liter Engine)(N/A on PCM 5.7 Catanium Engines)	O	O	O	
Fresh Water Flush	O	O	O	

**EXTERIOR**

Ski Nautique Chrome Outline w/Carbon Hard Accent Graphic - Choice of Fill Colour: Black or Whitec

	200 - Open	200 - Closed	216	SELECT
Boarding Platform, CPOSITE (Silver Cloud)	S	S	S	S
Bow Lift Ring(s)	S	S	S	S
Convenient Dual Fuel Fills	-	-	S	
Double O-Ring Rudder Port w/Grease Fitting	S	S	S	S
Premium Color Placement (Deck Stripe)	O	O	O	
Premium Color Placement (Hull)	O	O	O	
Premium Color Placement (Platform)	O	O	O	
Premium Color Placement (Tower)	O	O	O	
Rudder Lube Extensions	-	-	S	S
Ski Nautique Chrome Outline w/Carbon Hard Accent Graphic - Choice of Fill Colour: Black or Whitec	-	-	S	S
Ski Nautique Chromax Graphic				
Transom Grab Rails	S	S	S	S
Transom Lift Ring(s)	S	S	S	S
Transom Underwater Docking Lights (N/A on Standard)	O	O	O	

**HELM**

Faria Digital Guages, Custom Coded Keyless Ignition & Soft Touch Switches

	200 - Open	200 - Closed	216	SELECT
Air/Water Temp (n/A Standard)	-	-	S	S
Nautique Cruise Speed Control	S	S	S	S
Custom Steering Wheel w/Throttle Knob	S	S	S	S
Depth Finder	O	O	S	
Faria Analog Guages, Key Ignition & Rocker Switches	S	S	-	S
Faria Digital Guages, Custom Coded Keyless Ignition & Soft Touch Switches	-	-	S	S
Flip-Up Driver's Seat	S	S	S	S
Nautique LINC System (N/A on Standard)	S	S	-	
Rear View Mirror w/Adjustable Bracket	S	S	S	S
Tapered Roller Bearing Adjustable Steering Column	S	S	S	S
Zero-Off GPS Speed Control System	O	O	O	

**CONVENIENCE OPTIONS**

Full Throttle Upgrade Package (Includes Polished Stainless Steel Windshield Header, Polished Steering Wheel, Throttle Knob & polished Hydro-Gate)

	200 - Open	200 - Closed	216	SELECT
12-Volt Receptables	S	S	S	S
Bow Walk-Thru Filler Cushion	O	-	O	
Cooler (Built-In)	-	-	S	S
Binding Lube Tray	S	S	-	S
Floor Locker Storage	-	-	S	S
Full Throttle Upgrade Package (Includes Polished Stainless Steel Windshield Header, Polished Steering Wheel, Throttle Knob & polished Hydro-Gate)	O	O	O	
Heater, 3-Speed with Defroster	O	O	O	
Cargo Nets	-	-	S	S
Pul-Out Cleats (4)	O	O	O	
Raw Water Intake Shut Off Valve	S	S	S	S
Stainless Steel Cup Holders	S	S	S	S
Stainless Steel Interior Grab Handles	S	S	S	S
Stainless Steel Custom Step Plates (N/A on Standard)	-	-	O	
Storage/Courtesy Lights (N/A on Standard)	S	S	S	S
Faux Teak (Non - Skid)	O	O	-	
Tonneau Cover (Not installed)	O	-	O	
Under Bow Storage Compartments	S	S	S	S
Walk-Thru Air Dam Curtain	O	-	-	
Walk-Thru Air Dam (Removable)	O	-	-	
Walk-Thru Bow Seating	S	S	S	S
Walk-Thru Windshield	S	O	S	S
Twin Saddlebag Compartments	S	S	-	S
Tournament Love Seat Extension	O	-	-	

**SKI SERIES: 200 - Open Bow, 200 - Closed Bow & 216**

**STANDARD** : Includes Boarding Platform (Composite), Faria Analog Gauges, Keyed Ignition, Nautique Cruise, Hydro-Gate w/Sportshift, Pylon Ski, Nautique Graphics, Rocker Switches and Flip-Up Driver's Seat.

**LIMITED (216 ONLY)** : Includes Storage/Courtesy Lights, Faria Digital Guages with Air/Water Temp Guage, Depth Finder, Keyless Ignition, Boarding Platform (Composite), Classic Ski Nautique Graphics, Pylon, Digital Stereo Remote and Stereo Level I

**TEAM** : Includes Nautique LINC System, Keyless Ignition, Zero-Off GPS Speed Control System, Stereo Level II (Clarion CMD-6 CD/AM/FM Receiver w/ 4 Polk Audio MM Speakers and Dual Auxillary Inputs), The Open Bow Includes Bow Speakers.

The logo for Ski Nautique, featuring the words "SKI NAUTIQUE" in a bold, italicized, sans-serif font. The letters are black with a white outline, giving them a three-dimensional appearance. The background is a light, textured grey.

For Ski Nautique 200.

The logo for Ski Nautique 216, featuring a long, thin, black arrow pointing to the right. Below the arrow, the words "216 SKI NAUTIQUE" are written in a bold, italicized, sans-serif font. The "216" is smaller than the "SKI NAUTIQUE". The background is a light, textured grey.

For Ski Nautique 216.